

M427RLED4PS830-W

LEDiLUX surface mount light panel (30*120), Satin white diffuser, 3000K, LED4, 6500 Lumens, 52W, White























About Product

LEDILUX surface mount light panel is designed and manufactured by Mazinoor for modern office and commercial lighting applications. Uniform light distribution, energy saving, glare control, and aesthetically beautiful design are among the highlights of this luminaire.



Technical Information

Cataloge Code/product code:	M427RLED4PS830-W
Mounting Type:	Surface Mounted
Application:	Office, Hospitality
Light source type:	LED
Module/ Lamp quantity:	2
CCT (Color temperature):	3000K - Warm White
Light source:	LED
Lumen maintenance:	> 100.000 hours
Lumen maintenance factor:	L70
CRI (Color rendering index):	> 80
Power Consumption:	52
Luminous Flux:	6500
Efficacy (lm/W):	135
IP (Ingress Protection):	IP40
Insulation Class:	Class I
Ballast/ Driver:	Constant Current Driver (PF> 0.9)
FLICKER:	Flicker Free
Ballast/ driver Spec:	Non-dimmable
Ballast/ Driver (Channel quantity):	Single channel
Mains voltage:	220~240 VAC±10%



M427RLED4PS830-W

LEDiLUX surface mount light panel (30*120), Satin white diffuser, 3000K, LED4, 6500 Lumens, 52W, White


Voltage Frequency:	50/60 Hz
Wire / Cable Spec:	PVC solid wire
Wire cross section:	0.5
Terminal material:	Polycarbonate
Terminal Spec:	Cable looping is possible, 3-Pole (Size: 2.5), Tool free wire connection
Cable Looping:	Yes
Body Material:	Cold rolled steel sheet and aluminum profiles together
Body Coating:	Powder coated
Body Color:	White
RAL:	RAL9003
Diffuser/Glass Material:	Polystyrene sheet
Diffuser/Glass Shape:	Satin white
Diffuser/Glass Characteristic:	Uniform and symmetrical light distribution, Glare control
Light Distribution:	Uniform light distribution
Packaging type:	Nylon cover and carton
Order Option:	Emergency battery, Dimmable driver
Weight(Kg):	5.2
Dimensions(mm):	1175x275x45



M427RLED4PS830-W

LEDiLUX surface mount light panel (30*120), Satin white diffuser, 3000K, LED4, 6500 Lumens, 52W, White

Photometric Graph



Dimensional Drawing

